#### V. Goals and Objectives for Virginia's HIV Services Plan, 2022-2026

#### NHAS GOAL #1: PREVENT NEW HIV INFECTIONS

Objective 1.1: By December 31, 2026, increase health communications activities to prevent HIV and improve HIV-related health outcomes among priority populations.

Key Partners: DDP, LHD, Pharmacies, Clinical sites, CBOs, FQHCs

Strategies	Funding Sources	Outcomes	Data Indicators
Strategy A: Conduct health communications activities/campaigns to promote HIV testing among young people (20-34), Latinos, Black MSM, and Heterosexual males, ensuring community engagement in the development of messaging and channels. ( <i>Diagnose, Prevent</i> )	TBD	Increase in use of test site locators; Increase in HIV testing among priority populations. (NHSP Indicator#1)	campaign metrics, DDP hotline call log, Evaluation Web, Provide
Strategy B: Conduct health communications activities/campaigns to promote PrEP among MSM of all races and ethnicities, Black Women, Transgender women and non-gender conforming (NGC) individuals, ensuring community engagement in the development of messaging and channels. (Diagnose, Prevent)	TBD	Measure click through rates and ad activities by location; (NHSP Indicator#1, 2, 3, 7)	campaign metrics, Provide
<b>Strategy C:</b> Conduct health communications activities/campaigns that address HIV stigma and U=U among the general population, as well as rural areas. ( <i>Diagnose, Treat, Prevent</i> )	TBD	(NHSP Indicator #7)	campaign metrics, surveys; eHARS; Caremarkers database

Objective 1.2: By December 31, 2026, increase knowledge of HIV status among people in Virginia

Key	Partners:	DDP, I	LHD,	Pharmacies,	Clinical	sites,	CBOs,	, F(	QHCs,	Correctional Facilities	
-----	-----------	--------	------	-------------	----------	--------	-------	------	-------	-------------------------	--

Strategies	<b>Funding Sources</b>	Outcomes	Data Indicators
Strategy A: Expand HIV testing in both clinical and non-clinical settings, home testing, pharmacies, and comprehensive harm reduction (CHR) sites, continuing the "No Wrong Door" approach.	CDC, HRSA,	Increase in number of HIV tests over 2019 (pre-COVID-19) testing levels. (NHSP	
(Diagnose, Prevent)	ARPA, State	Indicator#1, 2, 3)	Evaluation Web/Provide
Strategy B: By January 1, 2024, merge the Community HIV Testing (CHT) and Status Neutral Service Navigation (SNSN) grant programs to improve linkage to HIV care, PrEP and support services. ( <i>Diagnose, Prevent, Treat</i> )	CDC	Reduced time for linkage to care; increased linkage for PrEP and support services. (NHSP Indicator# 2, 3, 5, 6)	Evaluation Web
Strategy C: Increase the capacity of HIV test sites to conduct STI and hepatitis testing and to perform blood draws for conventional testing (Diagnose, Prevent, Treat)	CDC, State	Increase in STI, hepatitis and conventional HIV testing. (NHSP Indicator# 1, 2, 3)	Labcorp reporting, Evaluation Web, contractor reports, REDCap
<b>Strategy D:</b> Increase HIV testing among young people (20-34), Black MSM, and PWID in the Norfolk TGA. ( <i>Diagnose</i> , <i>Prevent</i> )	CDC/HRSA RW Part A	Increase in HIV tests among priority populations. Reduction in late diagnoses. (NHSP Indicator# 1, 2, 3, 5, 6b, 6g, 6h)	Evaluation Web. Provide, CAREWare
Strategy E: Ensure third trimester HIV testing in at least 85% of pregnant persons diagnosed with HIV with a baseline of 80% in 2021 and refer them to high risk OB GYN care in the RWHAP cross parts care system ( <i>Diagnose, Prevent</i> )	CDC	Reduction in HIV perinatal transmission. (NHSP Indicator#1, 2, 3, 5, 6e)	eHARS
<b>Strategy F:</b> Increase viral suppression rate at third trimester in pregnant persons diagnosed with HIV to 85% with a baseline of 80% in 2021 ( <i>Treat, Prevent</i> )	CDC	Reduction in HIV perinatal transmission. (NHSP Indicator#1, 2, 3, 5, 6e)	eHARS
<b>Strategy G:</b> Educate and counsel 95% of people diagnosed with syphilis about HIV risk and provide referrals to PrEP services. ( <i>Prevent</i> )	CDC	# diagnosed with syphilis/ with referral to PrEP. (NHSP Indicator#1, 2, 3, 5)	VEDSS, Provide

Strategy H: Beginning January 1, 2024,	CDC HIV	# diagnosed w/ chlamydia or	eHARS, VEDSS
implement DIS interviews and referrals for	Prevention CDC	gonorrhea and co-infected with HIV	
patients with STIs who are 1.) co-infected	STI, HRSA	(not in care or detectable VL) who	
with HIV and are not in care or have high		are interviewed and linked to care; #	
viral loads, and 2.) those with rectal GC.		diagnosed w/ rectal GC who are	
(Diagnose, Prevent, Respond, Treat)		interviewed and referred to PrEP	
		services. (NHSP Indicator# 2, 3,	
		5)	

# Objective 2.1: By December 31, 2026, link people to care immediately after diagnosis and provide low-barrier access to HIV treatment

Key Partners: DDP, LHD, clinical and non-clinical test sites, Ryan White Cross-Parts, FQHCs, Department of Corrections. local and regional jails

Strategies	<b>Funding Sources</b>	Outcomes	Data Indicators
Strategy A: Increase the number of HIV service providers that participate in Rapid	HRSA, HRSA cross-parts funding, providers program	increase # of clients served through Rapid Start; # of clients enrolled in RS program after 6 months of a new contracted site reduce # of days to ARVs; reduce # of days to viral suppression. (NHSP	eHARS, Provide, CareWare;
Start. (Diagnose, Treat, Prevent)	income, Medicaid	<b>Indicator# 2, 3, 5</b> )	VDH contracts
Strategy B: Continue implementation of Status Neutral Service Navigation utilizing patient navigators to connect newly diagnosed PWH to care and support services within two weeks. (Diagnose, Treat, Prevent)	CDC	Increase the % of clients linked to care within 30 days of diagnosis. (NHSP Indicator# 1, 2, 3, 5, 6a-h, 7, 8)	eHARS, Provide
Strategy C: Continue working with HIV Surveillance, LHDs and disease intervention specialists (DIS) to improve linkage rates among PWH diagnosed in the private sector, community-based, or LHD clinics. (Diagnose, Treat, Prevent)	CDC	Increase the % of clients linked to care and the % linked to care within 30 days. (NHSP Indicator# 2, 3, 5)	eHARS

Strategy D: Continue implementation (and			
evaluation) of Unified Eligibility for RWHAP			
B program to reduce client and staff burden		Increased retention in care,	
and help promote uninterrupted access to care.		increased viral suppression. (NHSP	
(Treat, Prevent)	HRSA	<b>Indicator# 2, 3, 5</b> )	eHARs, Provide, CareWare

### Objective 2.2: By December 31, 2026, increase re-engagement and retention in care and adherence to HIV treatment to achieve viral suppression.

Key Partners: DDP, Ryan White Cross-Parts, CBOs, Medicaid, behavioral health and mental health service providers, housing providers and transportation services, Department of Corrections, local and regional jails

Strategies	<b>Funding Sources</b>	Outcomes	Data Indicators
Strategy A: Continue to improve use Data to Care protocols to identify and re-engage people with HIV into care and other services. ( <i>Treat, Prevent</i> )	CDC, HRSA	# of PWH re-engaged in care; # of re-engaged PWH who achieve viral suppression; (NHSP Indicator# 2, 3, 5)	eHARS, CareMarkers database, Provide
<b>Strategy B:</b> Identify and assess barriers for PWH with evidence of episodic care, high viral load, or other markers for falling out of care and achieve improved health outcomes. ( <i>Treat, Prevent</i> )	HRSA	# clients engaged with evidenced barriers, increase % of PWH retained in care, increase # of PWH who are virally suppressed. (NHSP Indicator# 2, 3, 5, 6a-h, 7, 8)	eHARS, Caremarkers database, Provide, CareWare
Strategy C: Provide education for PWH in the health insurance or medication access programs (i.e. Medicaid, Medicare, ACA Marketplace, direct ADAP) for which they qualify, to maximize access to health care, improve clinical outcomes, and ensure Ryan White serves as the payer of last resort. ( <i>Treat</i> )	HRSA	Increase in the # or % of PWH who are enrolled in a medication access program (i.e. Medicaid, Medicare, ACA Marketplace, and direct ADAP). (NHSP Indicator# 2, 3, 5, 6a-h, 7, 8)	Provide/ DMAS

Strategy D: Expand access and integrate supportive HIV services (housing, mental health, substance use disorder treatment, food bank/home delivered meals, medical transportation etc.) to increase retention in care		Increase # of agencies providing supportive HIV services; increase # of clients accessing supportive HIV services; increase in the % of PWH retained in care and virally	
and achieve optimal health outcomes including		suppressed. (NHSP Indicator# 2,	
viral load suppression. (Treat)	HRSA	3, 5, 6a-h, 7, 8)	Provide; VEDSS;
		increase # of agencies providing	
		STI and hepatitis screening for	
<b>Strategy E:</b> Integrate STI and hepatitis		PWH; increase # of PWH screened	
screening for PWH to achieve optimal health		for STI and hepatitis (NHSP	
outcomes. (Treat)	HRSA	Indicator# 5, Quality of Life)	Provide; VEDSS;

Objective 2.3: By December 31, 2026, expand capacity to provide whole-person care to PWH aged 50+ and long-term survivors Key Partners: DDP, clinical providers ADAP Advisory Committee, VACAC, Division of Pharmacy Services, Department of Medical Assistance Services, Department of Aging and Rehabilitative Services, consultants to VDH RWHAP B

Strategies	Funding Sources	Outcomes	Data Indicators
Strategy A: Annually work with the ADAP Advisory Committee to review RWHAP B medication formularies to meet the specific medication needs of PWH aged 50+. ( <i>Treat</i> )	HRSA	# and type of medications added to the formularies, drug utilization. (NHSP Indicator# 2, 3, Quality of Life Measure)	VA MAP and RW formularies and utilization reports
Strategy B: Initiate a partnership with agencies that provide services to the aging population to assess and address the needs of older PWH, including the Virginia Department of Aging and Rehabilitative Services (such as aging services, housing for adults 50+, substance use treatment, and disability and other medical services).	IIDC A	# of services created/expanded that meet the needs of PWH 50+, # of meetings/ communications with agencies, # of collaborations with agencies that provide services to persons 50+. (NHSP Indicator# 2,	•
( <i>Treat</i> )  Strategy C: Collaborate with community advisory groups and program consultants to identify and prioritize best practices to meet the psychosocial and behavioral health needs of older PWH and long-term survivors including	HRSA HRSA	3, Quality of Life Measure)  Development of programs and services designed to meet the needs of aging PWH. (NHSP Indicator# 2, 3, 5, 6g, Quality of Life Measure)	VACAC and CHPG meeting minutes and documents

substance use disorder treatment, mental health		
services and programs designed to decrease social		
isolation. (Treat)		

#### NHAS GOAL #3: Reduce HIV-Related Disparities and Health Inequities

# Objective 3.1: By December 31, 2026, reduce disparities in new HIV infections, in knowledge of status, and along the HIV care continuum

Key Partners: DDP, LHD, Pharmacies, Clinical sites, CBOs, FQHCs

Strategies	Funding	Outcomes	Data Indicators
	Sources		
		Increase the # and proportion of PrEP	
<b>Strategy A:</b> Increase enrollment in PrEP		enrollments among Black and	
services among Black and Hispanic MSM,		Hispanic MSM, Black women,	
Black women, and transgender women and		transgender women and NCG	
GNC individuals through stigma reduction		individuals. (NHSP Indicator# 1, 2,	
(Diagnose, Prevent)	CDC, state	3, 6a-h, 7)	Provide
<b>Strategy B:</b> Prepare written communication,			
including web content, for the public and			
providers in plain language at appropriate		Percentage of client and provider	
reading levels to help ensure health and		materials written at an appropriate	
medication literacy. Provide culturally and		reading level. # of materials	
linguistically appropriate trans creation of		translated. (NHSP Indicator# 2, 3,	
materials. (Diagnose, Treat, Prevent)	CDC, HRSA	7)	DDP materials checklist
Strategy C: Increase linkage, retention in care,			
and viral suppression among people with HIV		Increase retention and viral	
who inject drugs through provider education on		suppression rates; # of agencies and	
substance use disorder-related stigma, use of		staff who receive training in non-	
appropriate person-first language, and increased		stigmatizing service delivery for	
engagement with CHR and behavioral health		PWID. (NHSP Indicator# 2, 3, 5,	
providers. (Treat, Prevent)	CDC, HRSA	6g, 7)	eHARS, Caremarkers database

Strategy D: Reduce late diagnoses among, and		Increase in testing, increase in	
develop strategies to increase linkage to care,		linkage to care, decrease in late	
for people 55 and older who are diagnosed with		diagnoses. (NHSP Indicator# 2, 3,	
HIV. (Diagnose, Treat, Prevent)	CDC/HRSA	5, Quality of Life Measure)	eHARS, Caremarkers database
Strategy E: Expand equitable access to HIV			
treatment through use of telehealth mobile			
health strategies, in-home care, or other		Increased retention in care; increased	
mechanisms in rural areas and for those with		viral suppression. (NHSP	eHARS, Caremarkers database,
transportation challenges. (Treat, Prevent)	HRSA	<b>Indicator# 2, 3, 5</b> )	Provide
<b>Strategy F</b> : Conduct needs assessments			
through focus groups or other engagement		Identification of emerging needs to	
activities for at least two priority populations		be addressed through the integrated	
annually. (Diagnose, Treat, Prevent, Respond)	CDC/HRSA	plan. ( <b>NHSP Indicator# 1, 2, 3, 5</b> )	focus group notes, survey results,

Objective 3.2: By December 31, 2026, provide public leadership opportunities for people with or who experience risk for HIV infection as well as promote a diverse HIV workforce that is representative of and responsive to the needs of the populations served.

**Key Partners:** DDP, clinical sites, CBOs

Strategies	Funding	Outcomes	Data Indicators
	Sources		
<b>Strategy A:</b> Maintain leadership opportunities			
for PWH and those who experience risk for			
HIV infection such as Ryland Roane			
Fellowship Program, Virginia Consumer			
Advisory Committee, Virginia Community			
HIV Planning Group, Mind, Body, Soul			
Advisory Committee, ADAP Advisory		# and demographics of people who	
Committee, BLOC training, sub-recipient		participate on planning bodies and in	
community advisory boards and Part A		engagement activities. (NHSP	Membership demographics,
Planning Councils. (Diagnose, Treat, Prevent,		Indicator# 7, Quality of Life	meeting attendance, individual and
Respond)	CDC/HRSA	Measure)	cohort trainings supported
<b>Strategy B:</b> Continue participation on the VDH			
Office of Epidemiology Equity, Inclusion and			
Action Council and collaborate with the Office		# of learning opportunities; # of	
of Epidemiology's Health Equity Coordinator		participants: # of policies developed	
to support a diverse workforce. Identify and		and implemented to promote health	
promote opportunities to reduce health		equity and support a diverse	Meeting minutes, training records,
disparities and to improve understanding of	State	workforce. (NHSP Indicator# 7)	new policies

race, sexual orientation, gender identity, culture, immigration status, mental health and substance use on public health policies and programs. (Diagnose, Treat, Prevent, Respond)			
<b>Strategy C:</b> Develop orientation resources for all DDP staff, regardless of role, that address racism, sexual orientation and gender identity, violence, trauma informed approaches, medical mistrust, and person-first language. ( <i>Diagnose, Treat, Prevent, Respond</i> )	State	# of staff who complete course work by the end of their first year of employment. (NHSP Indicator# 7)	Training records, training plans
<b>Strategy D:</b> Provide or ensure that contracted organizations provide training for staff on racism, sexual orientation and gender identity, violence, trauma informed approaches, medical mistrust, and person-first language. ( <i>Diagnose, Treat, Prevent, Respond</i> )	CDC, HRSA	# of staff at contract agencies that complete training. (NHSP Indicator# 7)	Training records, quarterly reports
Strategy E: By December 31, 2023, implement part of VDH's Trauma Informed Care strategic plan by providing a training series in trauma informed approaches that will be implemented for external HIV service providers to help eliminate institutional barriers and implement policies that will contribute to beneficial client experiences and improved health outcomes for both people with risk factors for HIV and people with HIV. ( <i>Treat</i> ,		# of agencies and staff that complete training; number of agencies that make structural or policy changes to support improved health outcomes.	Training documents, sub-recipient reports, eHARS, CareMarkers
Prevent)	CDC, HRSA	(NHSP Indicator# 1, 2, 3, 7)	database, Provide

Objective 3.3: By December 31, 2026, address social and structural determinants of health and co-occurring conditions that impede access to HIV services and exacerbate HIV-related disparities

**Key Partners:** DDP, Ryan White Cross-Parts, CBOs, other clinical partners

RSA,	Increased retention in care, increased viral suppression. (NHSP Indicator# 2, 3, 5)  Increased enrollment in health	eHARs, Provide, CareWare  Provide, contractor quarterly
	Increased enrollment in health	Provide, contractor quarterly
DC/HRSA	insurance. (NHSP Indicator# 1, 2, 3, 5, Quality of Life Measure)	reports, insurance enrollment vendor data and reports
DC/HRSA	# of data sources that include data collection categories for transgender and non-binary/gender non-conforming persons; # of data presented on HIV, STI, and Viral hepatitis that include transgender and non-binary/gender non-conforming persons. (NHSP Indicator# 6a, b, c, f)	Provide, eHARs, CAREWare, EvaluationWeb
		# of data sources that include data collection categories for transgender and non-binary/gender non-conforming persons; # of data presented on HIV, STI, and Viral hepatitis that include transgender and non-binary/gender non-conforming persons. (NHSP)

NHAS GOAL #4: Achieve Integrated, Coordinated Efforts That Address the HIV Epidemic among All Partners and Interested Parties

Objective 4.1: By December 31, 2026, coordinate with public and private partners, community-based organizations and academic partners, to address the syndemic of HIV, STIs, viral hepatitis, and substance use and mental health disorders.

Key Partners: DDP, LHDs, other clinical providers, free clinics, FQHCs, DBHDS, Division of Pharmacy Services

Strategies	Funding Sources	Outcomes	Data Indicators
Strategy A: Strengthen relationships with community service providers (e.g., Community Services Boards, HOPWA and other housing providers, Department for Aging and Rehabilitative Services, DBDHS) to learn about service provision and areas of collaboration. ( <i>Treat, Prevent</i> )	CDC, HRSA, state	# of organizations, # of areas of collaboration identified, # of meetings with community service providers. (NHSP Indicator# 5, 8)	Meeting minutes and documents
<b>Strategy B:</b> Secure additional funding to expand the Naloxone Partners program to ensure access to opioid reversal drugs by people who use opioids. ( <i>Treat, Prevent</i> )	state, ARPA, DBHDS	# Naloxone kits dispensed # reported overdose reversals. (NHSP Indicator# 6g)	DPS prescription data; REDCap
<b>Strategy C:</b> Coordinate services among community based test sites to ensure a strong treatment referral network for people diagnosed with STIs ( <i>Diagnose, Treat, Prevent</i> )	CDC, HRSA, state	# of people diagnosed in community settings who are linked to STI treatment services. (NHSP Indicator# 1, 2, 3, 5)	eHARS
<b>Strategy D:</b> Coordinate services among community based test sites to ensure a strong treatment referral network for people diagnosed with hepatitis C ( <i>Diagnose</i> , <i>Treat</i> , <i>Prevent</i> )	CDC, HRSA, state	# of people diagnosed in community settings who are linked to hepatitis treatment services. (NHSP Indicator# 1, 2, 3, 5)	VEDSS
Strategy E: Coordinate services among clinical providers including LHD, to ensure a strong treatment referral network for people diagnosed with STIs ( <i>Diagnose, Treat, Prevent</i> )	CDC, HRSA, state	# of people diagnosed in clinical settings who are linked to STI treatment services. (NHSP Indicator# 1, 2, 3, 5)	eHARS
Strategy F: Coordinate services among clinical providers including LHDs, to ensure a strong treatment referral network for people diagnosed with hepatitis ( <i>Diagnose</i> , <i>Treat</i> , <i>Prevent</i> )	CDC, HRSA, state	# of people diagnosed in clinical settings who are linked to hepatitis treatment services.(NHSP Indicator# 1, 2, 3, 5)	VEDSS

Strategy G: By December 31, 2024, initiate			
pilot sites for implementation of Screening,		# of sites funded, # clients screened,	
Brief Intervention, and Referral to Treatment	CDC, state,	# of referrals. (NHSP Indicator# 1,	
(SBIRT). (Treat, Prevent)	DBHDS?	2, 3, 5)	Meeting minutes and documents

Objective 4.2: By December 31, 2026, increase coordination of HIV programs across governmental agencies and with public and private health care payers, community-based organizations, and academic partners

Strategies	Funding	Outcomes	Data Indicators
	Sources		
Strategy A: Work with federal partners (e.g., HRSA, SAMHSA, CDC, HUD) to identify and reduce duplicative reporting, administrative burden, and barriers to seamless service delivery across the care continuum. Identify and implement best practices for working across federal funding streams to ensure optimal outcomes for PWH and those who experience risk for HIV infection. ( <i>Treat, Prevent, Diagnose</i> )	CDC, HRSA, State	# and types of best practices identified to streamline the HIV service delivery system, # of federal partners engaged. (NHSP Indicator# 5, Quality of Life Measure)	Meeting minutes and program documents
Strategy B: Continue the Washington, D.C., Maryland and Virginia partnership to coordinate data exchanges and services across jurisdictions. ( <i>Treat, Prevent, Diagnose</i> ) Strategy C: Create partnership with other border states (e.g., North Carolina, West	CDC, HRSA	# of meetings; # of data exchanges. (NHSP Indicator# 2, 3, 5)	Meeting minutes and program documents
Virginia, Kentucky, and Tennessee) to coordinate data exchanges and services across borders. ( <i>Treat, Prevent, Diagnose</i> )	CDC, HRSA	# of meetings; # of data exchanges. (NHSP Indicator# 2, 3, 5)	Meeting minutes and program documents

Objective 4.3: By December 31, 2026, enhance the quality, accessibility, sharing, and uses of data, including HIV prevention and care to measure, monitor, evaluate, and use the information to report progress and course correct as needed in order to achieve the goals of the integrated plan.

Key Partners: DDP, VDH, DMAS, DBHDS, Veterans Administration, VDOC, VDSS

Strategies	Funding	Outcomes	Data Indicators
<u> </u>	Sources		
Strategy A: Continue DDP monthly rapid			
response meetings with participation from STD		Monthly reports to identify unusual	
Prevention and Surveillance, HIV Surveillance,		or increased case reporting.	
HIV Care Services and HIV and hepatitis		Identification of actions needed to	
Prevention to quickly identify geographic areas		prepare for or intervene in potential	
or potential areas of concern and intervene in	CDC, HRSA,	outbreaks. (NHSP Indicator# 1, 2,	
potential outbreaks. (Respond)	state	3, 5)	Meeting minutes
<b>Strategy B:</b> Identify and engage with key VDH			
offices (e.g., Health Equity, Community Health			
Services, Family Health Services, etc.) to			
promote information sharing and education on			
services provided to intersecting populations.	CDC, HRSA,	# of meetings, # of key VDH offices	
(Treat, Prevent, Diagnose)	state	engaged. (NHSP Indicator 2, 3, 5)	Meeting minutes
<b>Strategy C:</b> Contribute to development of the			
VDH electronic medical record to meet health		Establishment of EMR that meets the	
care needs of programs serving PWH and those		needs of HIV, STI and viral hepatitis	
with risk factors for HIV, STIs and viral		programs. (NHSP Indicator# 1, 2,	
hepatitis. (Treat, Prevent, Diagnose)	ARPA	3, 5)	Program Documents
<b>Strategy D:</b> Provide annual updates on the			
Cluster Detection and Response Program to key			
informants and stakeholder groups including			
care and prevention providers, the CHPG, and		# of presentations conducted each	
the VACAC. (Respond)	CDC	year. (NHSP Indicator# 2, 3)	Meeting minutes